



- NOTES:**
- Concrete strength to be 35MPa
 - Concrete cover to be 69mm, U.N.O.
 - Refer to NZ 3109 table 5.1 for precast tolerances
 - Mould face finish to be F5.
 - Top face finish to be U3 U.N.O.
 - Gaps between panels to be 20mm (typical) U.N.O.
 - Edge details are as noted.

- LEGEND**
- T.O.P = Top of panel
 - B.O.P = Bottom of panel
 - T.O.S = Top of steel

COPYRIGHT in drawings, Specifications and any other documents from which works extracted from remain the property of NZ Strong. Confirm all works prior to construction. Do not Scale the drawings. If unsure of anything please refer to NZ Strong for Clarification.			CONSULTANTS: Structural Engineering: STRUC-ENGINEERS Civil Engineering: CIVIL-ENG Services Engineering: SERVICES-ENG Fire Engineering: FIRE-ENG			PROJECT: CLIENT/1			SHEET TITLE: PRECAST PANEL ELEVATION & DETAILS			SCALE: AS SHOWN DATE: 17-07-2017 SHEET NO: L2			DRAWN BY: HP PROJECT NO: 116412 REVISION: B		
Rev	Description	Date															
A	ISSUED FOR APPROVAL	17/07/17															
B	UPDATE FILED MEASUREMENT AS PER STEEL WORK SETOUT	29/07/17															